

# Canyon Cruiser Aluminum

## Bill of Materials

ALUMINUM HULL MATERIAL LISTING: The following listing is to serve as a general guide only for hull cost estimating purposes; do not use for buying materials without first checking the instructions and plans for various options (such as differences due to changes in overall boat length and powering methods which will vary each boat), and to local suppliers for what material sizes may be available. In other words, each builder must make decisions as to how he will build the boat and use materials, and then take off a listing to suit. Thus the listing will vary and not all members are necessarily included - check the plans. Note that if tee's are not available, comparable sized angles can be used instead, or the builder can build up comparable members from flat bar (F.B.). Only marine alloy of the 5000- or 6000-series should be used. Common acceptable alloy designations include 5052, 5083, 5086, 5454, 5456, and 6061. For saltwater use, the 5086 is recommended except that extruded shapes can be 6000-series. While full-length hull plating panels can be formed by welding, single long panels are preferable to performing this procedure. In any case, the builder should check for plate or sheet size availability and plan the material utilization for minimum waste. While shorter members can always be butt welded to form long members, a doubler plate is usually advisable behind or on top of all such joints, lapping a considerable distance, and being welded all around.

| MEMBERS         | SIZE/TYPE               | AMT RQD |
|-----------------|-------------------------|---------|
|                 |                         |         |
| Chine bars      | 1/2"-3/4" round bar     | 44'     |
| Stiffener tee's | 1-1/2" x 1-1/2" x 3/16" | 220'    |
| Flat bars       | 1/4" x 1-1/2"           | 110'    |
| Pipe            | 1-1/4" Sch. 80          | 180'    |

|         |                               |  |
|---------|-------------------------------|--|
| Plating | 1/8"<br>3/16"<br>1/4"<br>3/8" | 260 sq. ft.<br>210 sq. ft.<br>40 sq. ft.<br>10 sq. ft. |
|---------|-------------------------------|--|